



Mooring Buoys (Heavy duty)

Colours: White or Red
Optional colours: Yellow or Blue

Item no.	M30	M40	M50	M60	M75	M100
Diam. (mm)	240	320	405	480	605	810
Length* (mm)	290	380	460	500	650	850
Buoyancy (kg)	7,0	17,0	34,0	61,0	120,0	260,0
Rod Diam. (mm)	12	12	16	16	16	20
Circumf. (mm)	760	1015	1270	1525	1905	2540

*) Length measured without rod.

All rods are hot-galvanized and rilsan treated. Secured with self locking nut - available with short or long rod.

Mooring Buoys (Polyethylene and foam filled)

Colours: White or Red


Item no.	PE M40	PE M50	PE M60	PE M75
Diam. (mm)	320	405	480	605
Length* (mm)	360	460	500	660
Buoyancy (kg)	17,0	34,0	61,0	120,0
Rod Diam. (mm)	12	16	16	16
Circumf. (mm)	1015	1270	1525	1905

*) Length measured without rod.

Made of hard polyethylene. Non inflatable, foam filled. All rods are warm-galvanized and rilsan treated. Secured with self locking nut - available with short or long rod.



Rigging Covers (Rigging Screw Covers)



Art. no.	380	420	500	600
Length = mm:	380	420	500	600
Inside Ø = mm:	25	27	32	36
Wire Ø = mm:	5-6	7	9	12
Wire Ø = inches:	7/16"	1/2"	5/8"	7/8"

Protect sails and clothing. Several sizes, standard white.

Winch handle pocket (One size)

With 4 screw holes.
Heigh: 310 mm
Width: 70 mm
Depth: 70 mm




Bottle holder (Can holder)

For 2 bottles. Keeps bottles and cans safely in place.



Cable Covers (Length = 1800 mm)



Protect sail/clothing against wear and tear.
Standard: white. Each size is marked with one colour, which makes recognition and sorting an easy task.



Anchor pocket (Folding Anchor)


With 4 screw holes.
Heigh: 250 mm
Width: 80 mm
Depth: 80 mm



Spreader guards (Two sizes)

Prevent wear and tear on sails.
Item no.:
59000801: Max Ø Wire, 8 mm
59001001: Max Ø Wire, 10 mm





Marker Buoys (Heavy duty)

Standard colours: ROPE HOLD = Black BUOY = White or Red
Optional colours: BUOY = Black, Grey or Yellow

Item no.	B20	B30	B40	B50	B60	B75	B100*	B120*	B135*
Diam. (mm)	160	240	320	405	480	610	810	965	1100
Length (mm)	230	320	480	570	640	790	1040	1240	1280
Buoyancy (kg)	2,0	8,0	23,0	46,0	72,0	118,0	280,0	540,0	675,0
Eye Diam. (mm)	18	18	28	28	28	28	32	32	32
Circumf. (mm)	510	760	1015	1270	1525	1905	2540	3028	3429

All heavy duty products are produced with solid ROPE HOLDS for maximum strength.
*) Standard with extra large rope hold with stainless steel insert



Bar Buoys (Heavy duty)

Standard colours: BUOY = White or Red
Optional colours: BUOY = Yellow




Item no.	BB30	BB40	BB50	BB60	BB75	BB100
Diam. (mm)	240	320	405	480	605	810
Length* (mm)	330	400	510	590	690	900
Buoyancy (kg)	8,0	18,0	36,0	62,0	123,0	269,0
Eye Diam. (mm)	50	50	50	50	50	50
Circumf. (mm)	760	1015	1270	1525	1905	2540

*) Length measured without rod.(Rod not included)
IMPORTANT - do not over-inflate / exceed the above mentioned dimensions



Double Eye Marker Buoys (Heavy duty)


Standard colours: ROPE HOLDS = Black BUOY = Red
Optional colours: BUOY = White

Item no.			
Diam. (mm)	320	405	480
Length (mm)	550	700	755
Buoyancy (kg)	23,0	46,0	72,0
Eye Diam. (mm)	18* / 28	28* / 28	28* / 28
Circumf. (mm)	10115	1270	1525

*) Top Eye diameter

Pick-up buoy (Heavy duty)



Item no.	
Diam. (mm)	240
Length (mm)	390
Buoyancy (kg)	8,0
Eye Diam. (mm)	18
Circumf. (mm)	760

Standard colours: ROPE HOLD = Black BUOY = Red
Optional colours: BUOY = White or Yellow

Mini buoy (Blowmoulded soft-PVC)



Item no.	
Diam. (mm)	160
Length (mm)	200
Buoyancy (kg)	2,1
Eye Diam. (mm)	11
Circumf. (mm)	510

Inflatable with metal valve
Standard colour: Red, White or Yellow

Throwing-ball (for heavy mooring lines)






Item no.	
Diam. (mm)	90
Weight (kg)	0,335
Waterfilled	Yes
Eye Diam. (mm)	11
Circumf. (mm)	-

Colours: Red
Optional colours: White, Black, Blue or Yellow

Mini buoy (Hard polyethylene)



Item no.			
Diam. (mm)	130	160	200
Length (mm)	160	190	235
Buoyancy (kg)	1,1	2,1	4,1
Eye Diam. (mm)	11	11	11
Circumf. (mm)	413	510	636

Hard Polyethylene buoys are ready for use.
Colour: Red