


MARINE DOORS, HATCHES AND EXTERNAL DOORS



NAVY STYLE DOOR

- »»» Quick Action Lever Operated
- »»» Individual Dog Type



NAVY STYLE DOOR

Water Tight, Gas Tight, Fume Tight

A. Cover plate

- Material : Steel, Aluminum
- Plate thickness : Steel 6 or 8mm,
Aluminum 5 or 6mm

B. Door frame

- Material : Steel, Aluminum
- Type : Angle bar
Flat bar

C. Corner

- Square corner
- Radius corner

D. Packing

- EPDM 15×35(NEOPRENE)

E. Type

- Q/A One Laver Type

► Clear opening Size

No.	Width	Height	Type
1	600	1600	8, 10 Dog Type
2	800	1600	
3	700	1600	
4	ORDER CUSTOMER		

Water Tight, Gas Tight, Fume Tight

A. Cover plate

- Material : Steel, Aluminum
- Plate thickness : Steel 6 or 8mm,
Aluminum 5 or 6mm

B. Door frame

- Material : Steel, Aluminum
- Type : Angle bar
Flat bar

C. Corner

- Square corner
- Radius corner

D. Packing

- EPDM 15×35(NEOPRENE)

E. Type

- Individual Dog Type

► Clear opening Size

No.	Width	Height	Type
1	600	1600	2, 4, 6, 8, 10 Dog Type
2	660	1600	
3	700	1600	
4	ORDER CUSTOMER		



NAVY STYLE DOOR

MARINE DOORS, HATCHES AND EXTERNAL DOORS



COMMERCIAL STYLE DOOR

Water Tight, Gas Tight, Fume Tight

A. Cover plate

- Material : Steel, Aluminum
- Plate thickness : Steel 6 or 8mm,
Aluminum 5 or 6mm

B. Door frame

- Material : Steel, Aluminum
- Type : Angle bar
Flat bar

C. Corner

- Square corner
- Radius corner

D. Packing

- NEOPRENE 20T X 40B

E. Type

- Individual Dog Type

► Clear opening Size

No.	Width	Height	Type
1	600	1600	2, 4, 6, 8, 10 Dog Type
2	660	1600	
3	700	1600	
4	ORDER CUSTOMER		

Water Tight, Gas Tight, Fume Tight

AA. Cover plate

- Material : Steel, Aluminum
- Plate thickness : Steel 6 or 8mm,
Aluminum 5 or 6mm

B. Door frame

- Material : Steel Aluminum
- Type : Angle bar
Flat bar

C. Corner

- Square corner
- Radius corner

D. Packing

NEOPRENE 20T X 40B

E. Type

- Q/A One Laver Type

► Clear opening Size

No.	Width	Height	Type
1	600	1600	2, 4, 6, 8, 10 Dog Type
2	660	1600	
3	700	1600	
4	ORDER CUSTOMER		




Inside



Outside

COMMERCIAL STYLE DOOR



COMMERCIAL STYLE DOOR

Water Tight, Gas Tight, Fume Tight

A. Cover plate

- Material : Steel, Aluminum
- Plate thickness : Steel 6 or 8mm, Aluminum 5 or 6mm

B. Door frame

- Material : Steel, Aluminum
- Type : Angle bar
Flat bar

C. Packing

- NEOPRENE 20TX40B

D. Type

- Quick Action Wheel Operated

► Clear opening Size

No.	Width	Height	Type	
1	700	1600	Single	Wheel
2	800	1600		
3	1200	1600	Double	
4	1200	2400		
5	ORDER CUSTOMER			

A60 Class Watertight

A. Cover plate

- Material : Steel
- Plate thickness : Steel 8mm

B. Door frame

- Material : Steel
- Type : Angle bar

C. Corner

- Square corner
- Radius corner (clear opening R:100mm)

D. Packing

- NEOPRENE
- Ceramic Packing
- Expendable graphite

E. Type

- A60 Quick Action Lever Operate



COMMERCIAL STYLE DOOR

COMMERCIAL STYLE DOOR



Water Tight, Gas Tight, Fume Tight

A. Cover plate

- Material : GRP/FRP
- Plate thickness : GRP/FRP 10mm

B. Door frame

- Material : Steel, Aluminum
- Type : Angle bar
Flat bar

C. Packing

- NEOPRENE 15TX35B


D. Type

- Individual Type
- Quick Action Wheel Operated

► Clear opening Size

No.	Width	Height	Type	
1	700	1600	Single	Wheel
2	800	1600		
3	1200	1600	Double	
4	1200	2400		
5	ORDER CUSTOMER			


Actual Products



A60 Watertight door



Watertight double door



Weather Tight Two Lever Type door



Individual dog type



Q/A one Lever Operated Type



Q/A Central Wheel Operated Type